

Natura

 climatex®
performance fabrics



Natura

 climatex®
performance fabrics



Printed in Cradle to Cradle®-process on Cradle®-paper

JAB JOSEF ANSTOETZ KG
Potsdamer Str. 160
D-33719 Bielefeld
Tel.: +49 (0)5 21 / 20 93-636
E-mail: climatex@jab.de

JAB
ANSTOETZ
CONTRACT

JAB
ANSTOETZ
CONTRACT

Natura



Design
Climatex

Farben / Colours
32

Material / Composition
69 % PA
18 % WO
13 % CV

Nutzbreite / Nominal width
141 cm

Gewicht / Weight
455 g/lfm

Schallabsorption / Sound absorption
 $\alpha_w = 0,50$

Scheuerfestigkeit / Abrasion resistance
500.000 Martindale, EN ISO 12947-2

Pilling
4 - 5, EN ISO 12945-2

Lichtechtheit / Light fastness
6 - 7, EN ISO 105-B02


Reibechtheit / Rub fastness
dry 4 - 5, wet 4 - 5, EN ISO 105-X12

Brandnormen / Fire standards
EN 1021-1/2
BS 5852-0/1
California TB 117, Class 1


Pflege / Care



Natura



CX1060-076



CX1060-075



CX1060-073



CX1060-071



CX1060-074



CX1060-020



CX1060-072



CX1060-040



CX1060-070



CX1060-021



CX1060-060



CX1060-081



CX1060-061



CX1060-010



CX1060-011



CX1060-082



CX1060-080



CX1060-022



CX1060-023



CX1060-025



CX1060-051



CX1060-050




CX1060-024



CX1060-052



CX1060-084




CX1060-092



CX1060-085



CX1060-091



CX1060-030



CX1060-083



CX1060-093



CX1060-099